











0	Soft top jaws Steel Aluminium Inch serration 1/16" x 90° or 3/32" x 90°		Page 7
1	Hard top jaws Inch serration 1/16" x 90° or 3/32" x 90°		Page 27
2	Soft top jaws Steel Aluminium Metric serration 1.5 x 60° or 3 x 60°		Page 37
3	Hard top jaws Metric serration 1.5 x 60° or 3 x 60°		Page 53
4	T-Nuts Grippers		Page 63
5	Soft top jaws Tongue & groove		Page 81
6	Hard top jaws Tongue & groove		Page 95
7	Quick jaw change For manual and power chucks straight modular serration System SMW		Page 109
8	Quick jaw change For manual and power chucks helix modular serration System Forkardt		Page 149
9	Special jaws Boring rings Cleaning plate Gripping force tester Repair service Calculations		Page 183




Soft top jaws
for quick jaw change

- Tongue & groove
- Material: 16MnCr5


Type	Id. No.	B	H ₁	H ₂	L	N	S	a	b	kg/ Set	SMW-AUTOBLOK
WAK 125-10	016633	20	30	27.5	55	14*	5*	25	20	0.61	
WAK 140-10	012490	20	40	36	69	8	18	26	32	0.89	KNCS-N 140
WAK 160-10	012491	20	40	36	85	8	18	42	32	1.15	HG-N 160 HG-F 160 KNCS-N 170 KNCS-2G 170
WAK 200-10	012492	22	46	42	105	10	20	50	40	1.91	HG-N 210 HG-F 210 KNCS-N 210 KNCS-N 225 KNCS-NB 210 KNCS-NB 225 KNCS-2G 210 KNCS-2G 225
WAK 250-10	012493	30	55.5	50.5	125	12	20	70	40	3.72	HG-N 260 HG-N 315 HG-F 260 KNCS-N 260/275 KNCS-N 325/340 KNCS-NB 260 KNCS-NB 325 KNCS-NB 340 KNCS-2G 260 KNCS-2G 325
WAK 400-10	012494	35	60	54	145	12	26	74	54	5.70	HG-N 400 HG-2G 400 HG-F 315 KNCS-N 400 KNCS-NB 400 KNCS-2G 400
WAK 500-10	012495	50	80	73	180	18	30	100	60	13.65	HG-N 500 HG-N 630 HG-2G 500 HG-2G 630 HG-F 400/ 500 KNCS-N 500 KNCS-N 630 KNCS-NB 500 KNCS-NB 630 KNCS-NB 800 KNCS-2G 500 KNCS-2G 630
WAK 630-10	080930	65	118	110	260	24	40	150	82	39.48	HG-F 630

* Groove
Other dimensions on request.
Use the data sheet on page 94 for ordering.

Forkardt	Samchully	Kitagawa	Röhm	Schunk
F 125 F+125			Duro 125	
			Duro-NC 140 Duro-NC 168	
F 160 KTNC 160 KTNCV 160 KTNCV 175 FNC 175 F+160	QJC-206	QJ 306	Duro 160 Duro-NC 160 Duro-NCE 160 Duro-NC 175 Duro-NCE 175 Duro-NCES 175	ROTA-S plus 160 ROTA THW 165 ROTA THW plus 165/185 ROTA-G 160 • THW165 ROTA-S 160 ROTA NCW 185 ROTA-NCR 200
F 200 KTNC 200 KTNCV 200 FNC 200 F+200	QJC-208	QJ 308 QJ 8" (QJ 210-43)	Duro 200 Duro-NC 200 Duro-NC 225 Duro-NCE 200 Duro-NCES 200	ROTA-S plus 200 ROTA THW 210 ROTA THW plus 215 ROTA-G 200 THW 210R/F ROTA NCW 225 ROTA-S 200 ROTA NCWF 210 ROTA THWB 210 ROTA THW vario 215
F 250 UNC 250/315 KTNC 250/265 KTNC 280/315 KTNCV 250 KTNCV 250 KTNCV 315 FNC 250 FNC 315 F+250	QJC-210 QJC-212	QJ 310 QJ 312 QJ 10" (QJ 254-65) QJ 12" (QJ 315-78)	Duro 250 Duro-NC 250 Duro-NCE 250 Duro-NCE 315 Duro-NCES 250 Duro-NCES 315	ROTA-S plus 250 ROTA-THW 250/315 ROTA THW plus 260/315 ROTA-G 250/315 THW 250/265-R/F ROTA NCW 265/315 ROTA-S 250 ROTA-NCWF 250/315 ROTA THWB 265 THW 315-R
F 315 UNC 400 KTNC 360 KTNC 400 KTNCV 400 FNC 400 F+315	QJC-215	QJ15	Duro 315 Duro-NC 315 Duro-NCE 400 Duro-NCES 400	ROTA-S plus 315 ROTA THW 400 THW 400-R/F ROTA-G 400 ROTA-S 315 ROTA THWB 315 THW315-F
F 400/500 L UNC 500 KTNC 500/630 KTNCV 500/630 FNC 500/630 F+400 F+500L	QJC-220	QJ21 QJ24	Duro 400/500 Duro-NC 400/500 Duro-NCE 500	ROTA-S plus 400/500 ROTA THW 500/630/800 ROTA-G 500 ROTA-S 400/500 THW 500-R/F ROTA THWB 400/500 THW 630-R
F 630 F+ 630			Duro 630 Duro-NC 630	ROTA-S plus 630/800/1000 ROTA-S 630/800/1000 ROTA-G 630












SMW-AUTOBLOK
94, 108, 184




SMW-AUTOBLOK
112, 152



SMW-AUTOBLOK
74

0	Soft top jaws Steel Aluminium Inch serration 1/16" x 90° or 3/32" x 90°		Page 7
1	Hard top jaws Inch serration 1/16" x 90° or 3/32" x 90°		Page 27
2	Soft top jaws Steel Aluminium Metric serration 1.5 x 60° or 3 x 60°		Page 37
3	Hard top jaws Metric serration 1.5 x 60° or 3 x 60°		Page 53
4	T-Nuts Grippers		Page 63
5	Soft top jaws Tongue & groove		Page 81
6	Hard top jaws Tongue & groove		Page 95
7	Quick jaw change For manual and power chucks straight modular serration System SMW		Page 109
8	Quick jaw change For manual and power chucks helix modular serration System Forkardt		Page 149
9	Special jaws Boring rings Cleaning plate Gripping force tester Repair service Calculations		Page 183

WAK




Soft top jaws
for quick jaw change

- Tongue & groove
- Material: 16MnCr5


Type	Id. No.	B	H ₁	H ₂	L	N	S	a	b	kg/ Set	SMW-AUTOBLOK
WAK 125-10	016633	20	30	27.5	55	14*	5*	25	20	0.61	
WAK 140-10	012490	20	40	36	69	8	18	26	32	0.89	KNCS-N 140
WAK 160-10	012491	20	40	36	85	8	18	42	32	1.15	HG-N 160 HG-F 160 KNCS-N 170 KNCS-2G 170
WAK 200-10	012492	22	46	42	105	10	20	50	40	1.91	HG-N 210 HG-F 210 KNCS-N 210 KNCS-N 225 KNCS-NB 210 KNCS-NB 225 KNCS-2G 210 KNCS-2G 225
WAK 250-10	012493	30	55.5	50.5	125	12	20	70	40	3.72	HG-N 260 HG-N 315 HG-F 260 KNCS-N 260/275 KNCS-N 325/340 KNCS-NB 260 KNCS-NB 325 KNCS-NB 340 KNCS-2G 260 KNCS-2G 325
WAK 400-10	012494	35	60	54	145	12	26	74	54	5.70	HG-N 400 HG-2G 400 HG-F 315 KNCS-N 400 KNCS-NB 400 KNCS-2G 400
WAK 500-10	012495	50	80	73	180	18	30	100	60	13.65	HG-N 500 HG-N 630 HG-2G 500 HG-2G 630 HG-F 400/ 500 KNCS-N 500 KNCS-N 630 KNCS-NB 500 KNCS-NB 630 KNCS-NB 800 KNCS-2G 500 KNCS-2G 630
WAK 630-10	080930	65	118	110	260	24	40	150	82	39.48	HG-F 630

* Groove
Other dimensions on request.


Forkardt	Samchully	Kitagawa	Röhm	Schunk
F 125 F+125			Duro 125	
			Duro-NC 140 Duro-NC 168	
F 160 KTNC 160 KTNCV 160 KTNCV 175 FNC 175 F+160	QJC-206	QJ 306	Duro 160 Duro-NC 160 Duro-NCE 160 Duro-NC 175 Duro-NCE 175 Duro-NCES 175	ROTA-S plus 160 ROTA THW 165 ROTA THW plus 165/185 ROTA-G 160 • THW165 ROTA-S 160 ROTA NCW 185 ROTA-NCR 200
F 200 KTNC 200 KTNCV 200 FNC 200 F+200	QJC-208	QJ 308 QJ 8" (QJ 210-43)	Duro 200 Duro-NC 200 Duro-NC 225 Duro-NCE 200 Duro-NCES 200	ROTA-S plus 200 ROTA THW 210 ROTA THW plus 215 ROTA-G 200 THW 210R/F ROTA NCW 225 ROTA-S 200 ROTA NCWF 210 ROTA THWB 210 ROTA THW vario 215
F 250 UNC 250/315 KTNC 250/265 KTNC 280/315 KTNCV 250 KTNCV 250 KTNCV 315 FNC 250 FNC 315 F+250	QJC-210 QJC-212	QJ 310 QJ 312 QJ 10" (QJ 254-65) QJ 12" (QJ 315-78)	Duro 250 Duro-NC 250 Duro-NCE 250 Duro-NCE 315 Duro-NCES 250 Duro-NCES 315	ROTA-S plus 250 ROTA-THW 250/315 ROTA THW plus 260/315 ROTA-G 250/315 THW 250/265-R/F ROTA NCW 265/315 ROTA-S 250 ROTA-NCWF 250/315 ROTA THWB 265 THW 315-R
F 315 UNC 400 KTNC 360 KTNC 400 KTNCV 400 FNC 400 F+315	QJC-215	QJ15	Duro 315 Duro-NC 315 Duro-NCE 400 Duro-NCES 400	ROTA-S plus 315 ROTA THW 400 THW 400-R/F ROTA-G 400 ROTA-S 315 ROTA THWB 315 THW315-F
F 400/500 L UNC 500 KTNC 500/630 KTNCV 500/630 FNC 500/630 F+400 F+500L	QJC-220	QJ21 QJ24	Duro 400/500 Duro-NC 400/500 Duro-NCE 500	ROTA-S plus 400/500 ROTA THW 500/630/800 ROTA-G 500 ROTA-S 400/500 THW 500-R/F ROTA THWB 400/500 THW 630-R
F 630 F+ 630			Duro 630 Duro-NC 630	ROTA-S plus 630/800/1000 ROTA-S 630/800/1000 ROTA-G 630












SMW-AUTOBLOK
94, 108, 184




SMW-AUTOBLOK
112



SMW-AUTOBLOK
74

0	Soft top jaws Steel Aluminium Inch serration 1/16" x 90° or 3/32" x 90°		Page 7
1	Hard top jaws Inch serration 1/16" x 90° or 3/32" x 90°		Page 27
2	Soft top jaws Steel Aluminium Metric serration 1.5 x 60° or 3 x 60°		Page 37
3	Hard top jaws Metric serration 1.5 x 60° or 3 x 60°		Page 53
4	T-Nuts Grippers		Page 63
5	Soft top jaws Tongue & groove		Page 81
6	Hard top jaws Tongue & groove		Page 95
7	Quick jaw change For manual and power chucks straight modular serration System SMW		Page 109
8	Quick jaw change For manual and power chucks helix modular serration System Forkardt		Page 149
9	Special jaws Boring rings Cleaning plate Gripping force tester Repair service Calculations		Page 183

WAK




Soft top jaws
for quick jaw change

- Tongue & groove
- Material: 16MnCr5


Type	Id. No.	B	H ₁	H ₂	L	N	S	a	b	kg/ Set	SMW-AUTOBLOK
WAK 125-10	016633	20	30	27.5	55	14*	5*	25	20	0.61	
WAK 140-10	012490	20	40	36	69	8	18	26	32	0.89	KNCS-N 140
WAK 160-10	012491	20	40	36	85	8	18	42	32	1.15	HG-N 160 HG-F 160 KNCS-N 170 KNCS-2G 170
WAK 200-10	012492	22	46	42	105	10	20	50	40	1.91	HG-N 210 HG-F 210 KNCS-N 210 KNCS-N 225 KNCS-NB 210 KNCS-NB 225 KNCS-2G 210 KNCS-2G 225
WAK 250-10	012493	30	55.5	50.5	125	12	20	70	40	3.72	HG-N 260 HG-N 315 HG-F 260 KNCS-N 260/275 KNCS-N 325/340 KNCS-NB 260 KNCS-NB 325 KNCS-NB 340 KNCS-2G 260 KNCS-2G 325
WAK 400-10	012494	35	60	54	145	12	26	74	54	5.70	HG-N 400 HG-2G 400 HG-F 315 KNCS-N 400 KNCS-NB 400 KNCS-2G 400
WAK 500-10	012495	50	80	73	180	18	30	100	60	13.65	HG-N 500 HG-N 630 HG-2G 500 HG-2G 630 HG-F 400/ 500 KNCS-N 500 KNCS-N 630 KNCS-NB 500 KNCS-NB 630 KNCS-NB 800 KNCS-2G 500 KNCS-2G 630
WAK 630-10	080930	65	118	110	260	24	40	150	82	39.48	HG-F 630

* Groove
Other dimensions on request.


Forkardt	Samchully	Kitagawa	Röhm	Schunk
F 125 F+125			Duro 125	
			Duro-NC 140 Duro-NC 168	
F 160 KTNC 160 KTNCV 160 KTNCV 175 FNC 175 F+160	QJC-206	QJ 306	Duro 160 Duro-NC 160 Duro-NCE 160 Duro-NC 175 Duro-NCE 175 Duro-NCES 175	ROTA-S plus 160 ROTA THW 165 ROTA THW plus 165/185 ROTA-G 160 • THW165 ROTA-S 160 ROTA NCW 185 ROTA-NCR 200
F 200 KTNC 200 KTNCV 200 FNC 200 F+200	QJC-208	QJ 308 QJ 8" (QJ 210-43)	Duro 200 Duro-NC 200 Duro-NC 225 Duro-NCE 200 Duro-NCES 200	ROTA-S plus 200 ROTA THW 210 ROTA THW plus 215 ROTA-G 200 THW 210R/F ROTA NCW 225 ROTA-S 200 ROTA NCWF 210 ROTA THWB 210 ROTA THW vario 215
F 250 UNC 250/315 KTNC 250/265 KTNC 280/315 KTNCV 250 KTNCV 250 KTNCV 315 FNC 250 FNC 315 F+250	QJC-210 QJC-212	QJ 310 QJ 312 QJ 10" (QJ 254-65) QJ 12" (QJ 315-78)	Duro 250 Duro-NC 250 Duro-NCE 250 Duro-NCE 315 Duro-NCES 250 Duro-NCES 315	ROTA-S plus 250 ROTA-THW 250/315 ROTA THW plus 260/315 ROTA-G 250/315 THW 250/265-R/F ROTA NCW 265/315 ROTA-S 250 ROTA-NCWF 250/315 ROTA THWB 265 THW 315-R
F 315 UNC 400 KTNC 360 KTNC 400 KTNCV 400 FNC 400 F+315	QJC-215	QJ15	Duro 315 Duro-NC 315 Duro-NCE 400 Duro-NCES 400	ROTA-S plus 315 ROTA THW 400 THW 400-R/F ROTA-G 400 ROTA-S 315 ROTA THWB 315 THW315-F
F 400/500 L UNC 500 KTNC 500/630 KTNCV 500/630 FNC 500/630 F+400 F+500L	QJC-220	QJ21 QJ24	Duro 400/500 Duro-NC 400/500 Duro-NCE 500	ROTA-S plus 400/500 ROTA THW 500/630/800 ROTA-G 500 ROTA-S 400/500 THW 500-R/F ROTA THWB 400/500 THW 630-R
F 630 F+ 630			Duro 630 Duro-NC 630	ROTA-S plus 630/800/1000 ROTA-S 630/800/1000 ROTA-G 630



SMW-AUTOBLOK
94, 108, 184



SMW-AUTOBLOK
152



SMW-AUTOBLOK
74